

CARBOHYDRATE RESEARCH, VOL. 175 (1988)

AUTHOR INDEX

- ABBAS, S. A., 153, 158
 ABE, J., 85
 ADERMANN, K., 163
 ALEMANY, A., 119
 ALONSO-LOPEZ, M., 133
 ANKNER, K., 306
 ARNOTT, S., 1
 ATKINS, E. D. T., 1

 BACKINOWSKY, L. V., c1
 BANASZEK, A., 215
 BASABE, J. V., 311
 BAUER, T., 306
 BERNABE, M., 119
 BLASCHEK, W., 137
 BONDO, P. B., 49
 BROSSMER, R., 311
 BRUNETEAU, M., 137
 BUKHAROV, A. V., c1

 CANO, F. H., 119
 CARMEN CRUZADO, M., 193
 CAROFF, M., 273
 CHANDRASEKARAN, R., 1
 CHEN, C.-C., 265
 CHIBA, S., 17
 CHMIELEWSKI, M., 306

 DESCOTES, G., 35
 DUDDECK, H., 241
 DUTTON, G. G. S., 103

 FABRE, I., 137
 FOCES-FOCES, C., 119
 FRANZ, G., 137
 FÜGEDI, P., 173

 GERO, S. D., 302
 GLAUDEMANS, C. P. J., 201
 GRAY, G. R., 93
 GRZESZCZYK, B., 215

 HIZUKURI, S., 85

 IKEDA, N., 294

 JANSSEN, P.-E., 103
 JERKOVICH, G., 249

 JIMENEZ-BARBERO, J., 119
 JOSELEAU, J.-P., 137
 JURCZAK, J., 306

 KERÉKGYÁRTÓ, J., 241
 KIMURA, A., 17
 KING-MORRIS, M. J., 49
 KNIREL, Y. A., 59
 KOCHETKOV, N. K., 59, c1
 KOMURA, Y., 144
 KORYTNYK, W., 25
 KOVÁČ, P., 201
 KRAUS, J., 137
 KUROKAWA, Y., 144
 KUSZMANN, J., 249

 LAFONT, D., 35
 LÁSZLÓ, P., 227
 LIM, A. V. S., 103
 LINDBERG, B., 103
 LIPKIND, G. M., 59
 LIPTÁK, A., 241

 MACIEJEWSKI, S., 306
 MACK, H., 311
 MARTIN-LOMAS, M., 119, 133, 193
 MÁRTON-MERÉSZ, M., 249
 MATTA, K. L., 153, 158
 MESSMER, A., 302
 MICHEL, G., 137
 MILLANE, R. P., 1
 MROWCA, R. A., 49

 NAGANO, H., 85
 NAKAGAWA, Y., 294
 NAKAJIMA, K., 85
 NÁNÁSI, P., 173

 OBATA, K., 85
 OGAWA, S., 294
 OGIHARA, Y., 144
 OXLEY, D., 111

 PAROLIS, H., 77
 PAROLIS, L. A. S., 77
 PAULSEN, H., 163, 283
 PELYVÁS, I. F., 227
 PENADES, S., 133

PERRET, J., 137
PETRIE, III, C. R., 25
PINTÉR, I., 302
PISKORZ, C. F., 158

RICCI, P., 137

SÁNDOR, P., 302
SCHNEIDER, M., 137
SERIANNI, A. S., 49
SHARMA, M., 25
SHASHKOV, A. S., 59
SHIMIZU, M., 144
SKLENÁR, V., 201
SOMOGYI, Á., 227
SOMOGYI, L., 183
STANLEY, S. M. R., 77
SUTHERLAND, I. W., 103
SZABÓ, L., 273
SZEJTLI, J., 173
SZILÁGYI, L., 227

SZTARICKAI, F., 227
SZURMAI, Z., 241

TACKEN, A., 273
TAKAI, M., 144
TAKEDA, H., 294
TAKEDA, T., 144
THOMAS, R. L., 153, 158
TSVETKOV, Y. E., c1

VINOGRADOV, E. V., 59
VODONIK, S. A., 93
VON DEESSEN, U., 283

WHISTLER, R. L., 265
WIDMALM, G., 103
WILKINSON, S. G., 111

YONEYAMA, M., 17

ZAMOJSKI, A., 215
ZSOLDOS-MÁDY, V., 302

CARBOHYDRATE RESEARCH, VOL. 175 (1988)

SUBJECT INDEX

- 2-Acetamido-2-deoxy-3-*O*- α -D-galactopyranosyl- α -D-galactopyranoside, 8-methoxycarbonylocetyl, synthesis of, 163
- 2-Acetamido-2-deoxy-5,6-*O*-isopropylidene-D-glucofuranose and -D-mannofuranose, a simple procedure for the preparation of, 311
- 2-Acetamido-2-deoxy-D-mannose, a simple preparation of, *via* derivatives of 2-acetamido-2-deoxy-D-glucosyl- and -D-manno-furanose, 311
- 2-Acetamido-2,4-dideoxy-4-fluoro-3-*O*- β -D-glucopyranose, synthesis of, 158
- N*-Acetyl-9-deoxy-9-fluoroneuraminic acid, synthesis, 25
- Acyclic 2-deoxyaldose derivatives, a novel approach towards, 302
- (6-¹³C)Aldohexoses, an improved synthesis of, 49
- Aldopyranosides, reductive opening of 2,3-unsaturated, 306
- 1,2-*O*-Alkylidene- β -L-lyxo- and - β -L-arabinopyranoses, conformation of some, in the solid state and in solution, 119
- Alpha-amylase inhibitor NS-504, synthesis of some valienamine epoxides for use in structural studies of the, 294
- 2-Amino-2-deoxyglycopyranosides, synthesis from 1,2-*trans*-2-deoxy-2-iodoglycopyranosyl phosphoramidates of, 35
- Analysis by the reductive-cleavage method, of linkage positions in a polysaccharide containing 4-linked D-glucopyranosyluronic residues, 93
- 1,6-Anhydro- β -D-hexopyranoses, the regioselectivity of tributyltin ether-mediated benzylation of, 193
- Antitumor activity of D-glucans of *Phytophthora parasitica*, 137
- Application of the Bucherer reaction to carbohydrate derivatives, 249
- L-Arabinoside-D-glucan, synthesis of tetra-, penta-, and hexa-saccharide related to, 144
- Aspergillus* SP.K-27: A synergistic action of glucosyl- α -amylase and alpha-amylase, 85
- Bacteriophage-mediated depolymerisation in the structural investigation of the capsular polysaccharide from *E. coli* serotype K36, the use of, 77
- Benzylation of 1,6-anhydro- β -D-hexopyranoses, the regioselectivity of tributyltin ether-mediated, 193
- Bordetella pertussis* endotoxin, determination of the anomeric configuration of the glycosyl phosphate present in the "isolated Lipid A" fragment of the, 273
- Bucherer reaction, application to carbohydrate derivatives of the, 249
- Capsular antigen of *Haemophilus influenzae* type a, synthesis of two repeating units of the, 215
- Carbocyclic ring-transformation reaction, novel aspects of the Ferrier, 227
- Carbohydrate derivatives, application of the Bucherer reaction to, 249
- Carbohydrates, isotopically substituted, stable, 49
- Chiral macrocycles incorporating lactitol and 4-*O*-(1-deoxy-D-galactitol-1-yl)-D-glucitol residues, 133
- Circular dichroism, a simple and rapid determination of ketoses by, 17
- ¹³C-N.m.r. data, a computer-assisted structural analysis of regular polysaccharides on the basis of, 59
- ¹³C-N.m.r. of D-glucans of *Phytophthora parasitica*, 137
- Computer-assisted structural analysis of regular polysaccharides on the basis of ¹³C-n.m.r. data, 59
- Conformation of some 1,2-*O*-alkylidene- β -L- and - β -L-arabinopyranoses in the solid state and in solution, 119
- The Crystal structure of gellan, 1
- Cyclomaltoheptaose, synthesis of 6-*O*- α -D-glucopyranosyl-, 173
- 2-Deoxyaldose derivatives, a novel approach towards acyclic, 302
- Detergent-accelerated hydrolysis of bacterial endotoxins and determination of the anomeric configuration of the glycosyl phosphate present in the "isolated Lipid A" fragment of the *B. pertussis* endotoxin, 273
- E. coli* serotype K36, the use of bacteriophage-mediated depolymerisation in the structural investigation of the capsular polysaccharide from, 77
- Endotoxins, detergent-accelerated hydrolysis of bacterial, 273

- Ferrier carbocyclic ring-transformation reaction, novel aspects of the, 227
- 9-Fluoroneuraminic acid, *N*-acetyl-9-deoxy-, synthesis of, 25
- L-Fructose, synthesis of, 265
- α -L-Fucosyltransferase, (1 \rightarrow 2)-, synthesis of potential substrates for, 158
- α -D-Galactopyranoside, 8-methoxycarbonyloctyl 2-acetamido-2-deoxy-3-*O*- α -D-galactopyranosyl-, synthesis of, 163
- 3-*O*- β -D-Galactopyranosyl-D-glucopyranosyl, 2-acetamido-2,4-dideoxy-4-fluoro-, synthesis of, 158
- D-GalNAc, β -D-Neup5Ac-(2 \rightarrow 3)- β -D-Galp-(1 \rightarrow 3)-, synthesis of, 283
- β -D-Galp-(1 \rightarrow 3)-D-GalNAc, β -D-Neup5Ac-(2 \rightarrow 3)-, synthesis, 283
- Gellan, the crystal structure of, 1
- O*-(4-F- β -D-GlcpNAc)-(1 \rightarrow 6)- α -D-GlcpNAcOBn, synthesis of, 153
- D-Glucan, L-arabino-, synthesis of tetra-, penta-, and hexa-saccharide related to, 144
- D-Glucans from *Phytophthora parasitica*, structure and antitumor activity of, 137
- D-Glucopyranose, 2-acetamido-2,4-dideoxy-4-fluoro-3-*O*- β -D-galactopyranosyl-, synthesis of, 158
- D-Glucopyranosylcyclomaltoheptaose, synthesis of 6-*O*- α -, 173
- Glucorhamnans isolated from the lipopolysaccharides of reference strains for *Serratia marcescens* serogroups O4 and O7 and of an O14 strain, structural studies of, 111
- Glycopyranosyl phosphoramidates, 1,2-*trans*-2-deoxy-2-iodo-, synthesis of, and intermediates in the synthesis of 2-amino-2-deoxyglycopyranosides, 35
- Haemophilus influenzae* type *a* capsular antigen, synthesis of two repeating units of the, 215
- Homopolysaccharides and block-heteropolysaccharides carrying a spacer arm, synthesis of, C1
- α -Isomaltoside, methyl 6'-deoxy-6'-fluoro-, and the corresponding trisaccharide, synthesis of, 201
- Ketoses, a simple and rapid determination of, by circular dichroism, 17
- Klebsiella* types 8 and 82, a reinvestigation of the structures of the capsular polysaccharides from, 103
- Lactitol and 4-*O*-(1-deoxy-D-galactitol-1-yl)-D-glucitol residues, chiral macrocycles incorporating, 133
- Lipo-oligosaccharides characteristic of *Mycobacterium kansasii*, synthesis of the tetrasaccharide core region of antigenic, 241
- β -L-Lyx- and - β -L-arabino-pyranoses, conformation of some 1,2-*O*-alkylidene-, in the solid state and in solution, 119
- Macrocycles incorporating lactitol and 4-*O*-(1-deoxy-D-galactitol-1-yl)-D-glucitol residues, chiral, 133
- Maltotri-, maltotetra- and malto-pentaoside, methyl 6-*O*- α -L-arabinofuranosyl-, synthesis of, 144
- 8-Methoxycarbonyloctyl 2-acetamido-2-deoxy-3-*O*- α -D-galactopyranosyl- α -D-galactopyranoside, synthesis of, 163
- 2-Methyl-(3,6-di-*O*-acetyl-1,2,4-trideoxy-4-fluoro- α -D-glucopyrano-[2,1-*d*]-2-oxazoline, synthesis of, 153
- β -D-Neup5Ac-(2 \rightarrow 3)- β -D-Galp-(1 \rightarrow 3)-D-GalNAc, synthesis, 283
- Neuraminic acid, *N*-acetyl-9-deoxy-9-fluoro-, synthesis of, 25
- Novel approach towards acyclic 2-deoxyaldose derivatives, a, 302
- Novel aspects of the Ferrier carbocyclic ring-transformation reaction, 227
- Osazones, synthesis of 3-substituted and 3,6-anhydro derivatives by reaction of N or O nucleophiles with acetylated sugar, 183
- 2-Oxazoline, [2,1-*d*], 2-methyl-(3,6-di-*O*-acetyl-1,2,4-trideoxy-4-fluoro- α -D-glucopyrano)-, synthesis of, 153
- Phosphoramidates, glycopyranosyl, 1,2-*trans*-2-deoxy-2-iodo-, synthesis of, and intermediates in the synthesis of 2-amino-2-deoxyglycopyranosides, 35
- Phytophthora parasitica*, structure and antitumor activity of, 137
- Polysaccharide, containing 4-linked D-glucopyranosyluronic residues, analysis of linkage positions in a, by the reductive-cleavage method, 93
- Polysaccharide from *E. coli* serotype K36, the use of bacteriophage-mediated depolymerisation in the structural investigation of the capsular, 77
- Polysaccharides, a computer-assisted structural analysis of regular, on the basis of ^{13}C -n.m.r. data, 59
- Polysaccharides from *Klebsiella* types 8 and 82, a reinvestigation of the structures of the capsular, 103
- Preparation of 2-acetamido-2-deoxy-D-mannose, a simple, 311

- Properties of the raw-starch digesting amylase of *Aspergillus* SP.K-27: A synergistic action of glucoamylase and alpha-amylase, 85
- Raw-starch digesting amylase of *Aspergillus* SP.K-27: A synergistic action of glucoamylase and alpha-amylase, 85
- Reactions of acetylated sugar osazones with N or O nucleophiles, synthesis of 3-substituted and 3,6-anhydro derivatives by, 183
- Reductive opening of 2,3-unsaturated aldopyranosides, 306
- Regioselectivity of tributyltin ether-mediated benzylation of 1,6-anhydro- β -D-hexopyranoses, 193
- Serratia marcescens* serogroups O4 and O7, structural studies of glucorhamnans isolated from the lipopolysaccharides of reference strains for, 111
- A simple and rapid determination of ketoses by circular dichroism, 17
- L-Sorbose, synthesis of L-fructose from, 265
- Spacer arm, synthesis of homopolysaccharides and block-heteropolysaccharides carrying a, c1
- Stable, isotopically substituted carbohydrates: An improved synthesis of (6- 13 C)aldohexoses, 49
- Structural studies of glucorhamnans isolated from the lipopolysaccharides of reference strains for *Serratia marcescens* serogroups O4 and O7, and of an O14 strain, 111
- Structural studies of the capsular polysaccharides from *Klebsiella* types 8 and 82, a reinvestigation, 103
- Sugar osazones, synthesis of 3-substituted and 3,6-anhydro derivatives by reaction of N or O nucleophiles with acetylated, 183
- Synthesis of 6-O- α -D-glucopyranosylcyclomaltoheptaose, 173
- Synthesis of homopolysaccharides and block-heteropolysaccharides carrying a spacer arm, c1
- Synthesis of methyl 6'-deoxy-6'-fluoro- α -isomaltoside and of the corresponding trisaccharide, 201
- Synthesis of some valienamine epoxides for use in structural studies of the alpha-amylase inhibitor NS-504, 294
- Synthesis of the tetrasaccharide core region of antigenic lipo-oligosaccharides characteristic of *Mycobacterium kansasii*, 241
- Synthesis of two repeating units of *Haemophilus influenzae* type a capsular antigen, 215
- Tetrasaccharide core region of antigenic lipo-oligosaccharides characteristic of *Mycobacterium kansasii*, synthesis of the, 241
- 2,3-Unsaturated aldopyranosides, reductive opening of, 306
- Valienamine epoxides, synthesis of some, for use in structural studies of the alpha-amylase inhibitor NS-504, 294